

**CiteSeer**  
Community Literature in Digital LibraryFind: **Searching for screen saver and news**Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

7 documents found. Order: citations weighted by year.

Synchronization in Distributed Multimedia Applications - Mr Rahul Pathak (Correct)

(www.pointcast.com/when operating in "screen saver" mode. From the point of view of a content from multimedia CD-ROMs. Consider a television news broadcast: many parts of the television screen and computer user interfaces -windows pop up in a news broadcast or program items are presented in menu trident.mcs.kent.edu/~arvind/graduate-reports/rahul-darshan.pdf

IUCF UNIX User's Guide - David Williams Dwwillia (Correct)

the mouse or press a key. This will stop the screen saver. If the screen says it is locked by some user, :28 16 USENET News 29 16.1 Reading News : :29 16.2 Posting News :  
www.iucf.indiana.edu/Facilities/Computers/Docs/UUG/UNIX\_users\_guide.ps

CWIC: Continuous Web Image Collector - Quasedra Brown Scott (2000) (Correct)

mechanisms like background wallpaper and screen savers to provide the user with alternative pleasing manner. CWIC provides the user with new directions to the World Wide Web using images as a good memory for images and can distinguish quickly new images [12] Thus, a system based on image www.cc.gatech.edu/grads/m/Scott.McCrickard/papers/cwicfinal.ps.gz

An Extensible Interactor Toolkit for Enhancing Information... - McCrickard (1998) (Correct)

their work. PointCast #pointcast.com# makes a screen saver that displays news items of interest and has a or they cannot attract the attention of users when new information arrives. This paper explores these by the user when it is no longer needed. However, a new class of program, software agents, operate in a ftp.cc.gatech.edu/pub/gvu/tech-reports/1998/98-28.pdf

Continuous Media Retrieval Optimizer for.. - Shahabi, Dashti.. (1998) (Correct)

news service that provides information via the screen saver. 2 ffl delay flexibility: which specifies 1 Introduction Multimedia applications impose a new set of constraints on data management systems. satisfying the temporal relationships. Some of the new Internet applications (e.g. Point-Cast 2 that perspolis.usc.edu/Users/shahabi/iadt98.ps

Agent Languages - Tck (Correct)

minute .free .various news sources .use screen saver for automatic invocation 13 Search Engine 2: redesign R\_NewServiceInstr 3: recommend new service instructions X 4: create report 1: 14 Information Filtering Process Commercial News Feeds Newsgroups Distribution Lists New Web cse.hanyang.ac.kr/~jmchoi/papers/sookmyung.ps

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)CiteSeer - [citeseer.org](#) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

9/528,803

**CiteSeer**  
Scientific Literature Digital LibraryFind: **Searching for screen saver and advertisement**Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)**Order: citations weighted by year.**Continuous Media Retrieval Optimizer for.. - Shahabi, Dashti.. (1998) (Correct)

news service that provides information via the **screen saver**. 2 fl delay flexibility: which specifies it is demand driven [SG95] fl customized **advertisement**: with the explosion of the Internet and the attention. One such way is to use customized **advertisement**, where a number of **advertisements** that perspolis.usc.edu/Users/shahabi/iadt98.ps

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

## Searching for pointcast

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

62 documents found. Order: citations weighted by year.

System Design Issues for Internet Middleware Services: Deductions .. - Gribble (1997) (Correct) (127 citations)  
in the traces. Other" browsers observed include **PointCast**, Cyberdog, Mosaic, Opera, Lynx, JDK, and  
[http://cs.berkeley.edu/~gribble/papers/sys\\_trace.ps.gz](http://cs.berkeley.edu/~gribble/papers/sys_trace.ps.gz)

Application-Level Differentiated Services for Web Servers - Eggert, Heidemann (1999) (Correct) (11 citations)  
data-driven push [Touch 1995]subscription push [**Pointcast** 1998]web prefetching [Padmanabhan and Mogul  
GLOBECOM Internet Mini-Conference, pp. 41-46. **Pointcast**, Inc. 1998)How **Pointcast** Works.web page  
pp. 41-46. **Pointcast**, Inc. 1998)How **Pointcast** Works.web page  
[usc.edu/pub/csinfo/tech-reports/papers/99-695.ps.Z](http://usc.edu/pub/csinfo/tech-reports/papers/99-695.ps.Z)

Understanding TCP Dynamics in an Integrated Services Internet - Feng, Kandlur, Saha, Shin (1997) (Correct) (21 citations)  
include increasingly popular applications such as **PointCast**, RealAudio, and VDOnet which stream text/image,  
[www.cs.umd.edu/users/debanjan/pages/./papers/nossdav97.red.ps.gz](http://www.cs.umd.edu/users/debanjan/pages/./papers/nossdav97.red.ps.gz)

A Framework for Scalable Dissemination-Based Systems - Franklin, Zdonik (1997) (Correct) (18 citations)  
that employ some form of push technology include **Pointcast**, Marimba, BackWeb, and AirMedia. Push has also  
using the concepts of our DBIS framework. 4.1 **Pointcast Pointcast** is a dissemination service that has  
concepts of our DBIS framework. 4.1 **Pointcast Pointcast** is a dissemination service that has attracted  
[www.cs.brown.edu/research/ddg/papers/framework.ps.gz](http://www.cs.brown.edu/research/ddg/papers/framework.ps.gz)

Understanding and Improving TCP Performance over.. - Feng, Kandlur, Saha.. (1997) (Correct) (9 citations)  
include increasingly popular applications such as **PointCast**, RealAudio, and VDOnet which stream text/image,  
[www.cs.umd.edu/~debanjan/pages/./papers/ton98.ered.ps.gz](http://www.cs.umd.edu/~debanjan/pages/./papers/ton98.ered.ps.gz)

"Data In Your Face": Push Technology in Perspective - Michael Franklin (1998) (Correct) (4 citations)  
1.1 The Push Phenomenon In February 1996, **PointCast** made its client software available for free  
machine as a display ground for flying toasters, **PointCast** would turn it into an active information  
site. A number of the major push vendors such as **PointCast**, BackWeb, and AirMedia have expressed support  
[www.cs.umd.edu/projects/bdisk/inyourface.ps](http://www.cs.umd.edu/projects/bdisk/inyourface.ps)

Ontology Based Personalized Search - Pretschner, Gauch (1999) (Correct) (2 citations)  
"portals" to the web, e.g. MyYahoo, FireFly or **PointCast** at [www.yahoo.com](http://www.yahoo.com), [www.firefly.net](http://www.firefly.net), and  
at [www.yahoo.com](http://www.yahoo.com), [www.firefly.net](http://www.firefly.net), and [www.pointcast.com](http://www.pointcast.com), respectively) and filtering/rating  
[www4.informatik.tu-muenchen.de/~pretschn/private/./papers/ictai99.ps.gz](http://www4.informatik.tu-muenchen.de/~pretschn/private/./papers/ictai99.ps.gz)

Automated Delivery of Web Documents Through a Caching.. - Rodriguez, Biersack, Ross (1999) (Correct) (2 citations)  
(other companies such as Marimba, BackWeb, and **Pointcast** also use automated pull)The primary reason  
[www.eurecom.fr/~ross/push.ps](http://www.eurecom.fr/~ross/push.ps)

CQ: A Personalized Update Monitoring Toolkit - Ling Liu Calton (1998) (Correct) (3 citations)  
web search engines) and pure push (such as **Pointcast**, Marimba, Broadcast disks) technology, the CQ  
[www.cs.ualberta.ca/~wtang/CQ/sigmod\\_final.ps](http://www.cs.ualberta.ca/~wtang/CQ/sigmod_final.ps)

A Characterization Framework for Software Deployment .. - Carzaniga.. (1998) (Correct) (3 citations)  
is content delivery. Systems such Castanet, **PointCast**, and recent enhancements to Microsoft and  
Autoconf Content delivery Castanet **PointCast** Rsync Rdist Table 1: Deployment  
AMS Autoconf Content delivery Castanet **PointCast** Rsync Rdist Table 2: Changeability,  
[www.cs.colorado.edu/~carzanig/papers/CU-CS-857-98.ps.gz](http://www.cs.colorado.edu/~carzanig/papers/CU-CS-857-98.ps.gz)

The Data Broadcast Problem with Preemption - Schabanel (2000) (Correct) (1 citation)

**Searching for ticker and news.**

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

31 documents found. Order: citations weighted by year.

[Object Exchange Across Heterogeneous Information Sources - Papakonstantinou.. \(1995\) \(Correct\) \(190 citations\)](#)

IBM product announcements, the stock market **ticker** tape, IBM profit/loss statements, **news** articles, not stored but rather arrives on-line, e.g. over a **news** wire. As an example, consider a stock broker market **ticker** tape, IBM profit/loss statements, **news** articles, structured databases containing db.stanford.edu/pub/papers/object-exchange-heterogeneous-is.ps

[Operating System Services for Wide-Area Applications - Vahdat \(1998\) \(Correct\) \(7 citations\)](#)

.79 4.4.3 Stock **Ticker**: Multicast Updates .

applications, Internet chat and a stock **ticker** (providing regular stock price updates) to has achieved the critical mass necessary to support new classes of wide-area distributed applications, cag.lcs.mit.edu/pub/dm/papers/vahdat:webfs-phd.ps.gz

[Dissemination-Based Information Systems - Michael Franklin \(1996\) \(Correct\) \(10 citations\)](#)

include information feeds (e.g. stock and sports **tickers** or **news** wires) traffic information systems, to asymmetry in an information system. A stock **ticker** application is an example of the first case. It communications asymmetry. Asymmetry arises in many new applications due to both physical characteristics www.cs.umd.edu/projects/bdisk/dbis.ps

[Executing Decision-theoretic Plans In.. - Williamson, Decker.. \(1996\) \(Correct\) \(8 citations\)](#)

Portfolio Manager Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier MATCHMAKER Historical data, technical models, analysts' reports, breaking **news**, etc. the many sources of uncertainty and www.soc.staffs.ac.uk/~cmryl/refpapers/execution.pdf

[Executing Decision-theoretic Plans in Multi-agent.. - Williamson, Decker, al. \(1996\) \(Correct\) \(8 citations\)](#)

Manager Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier MATCHMAKER Historical data, technical models, analysts' reports, breaking **news**, etc. ffl the many sources of uncertainty and www.cs.cmu.edu/~softagents/papers/execution.ps.gz

[DSML: A Proposal for XML Standards for Messaging Between.. - Dragomir Radev Nanda \(1999\) \(Correct\) \(2 citations\)](#)

parameters of a stock market buy request are the **ticker** symbol of the company, the number of shares, etc. input (e.g. a clarification or a correction or a **new** request) is again sent to the PM as described action, given a filled template. Thus, for a stock **news** request, the AM decides which information source perun.si.umich.edu/~radev/papers/aisb99.ps

[Wrens: A Framework for Rapidly Evolvable Network Services - Anurag Acharya Maximilian \(1999\) \(Correct\) \(1 citation\)](#)

available (such as search engines, customized **news tickers**, price trackers, chat rooms etc) Deep as this (customized multicast) a filtering **news ticker** which adaptively distributes customized **news** brokerages, and travel services) In addition, new classes of services are made possible by the www.cs.ucsb.edu/TRs/techreports/TRCS99-31.ps

[Query Processing in Heterogeneous Information Sources - Papakonstantinou \(1997\) \(Correct\) \(2 citations\)](#)

IBM product announcements, the stock market **ticker** tape, IBM profit/loss statements, **news** articles, not stored but rather arrives on-line, e.g. over a **news** wire. As an example, consider a stock broker market **ticker** tape, IBM profit/loss statements, **news** articles, structured databases containing ftp.cis.upenn.edu/pub/cis650/public\_html/yannis-thesis.ps.Z

[The Niagara Internet Query System - Naughton, DeWitt, Maier, Chen.. \(Correct\) \(8 citations\)](#)

**Searching for cookies and news**

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

24 documents found. **Order: citations weighted by year.**

[Class-based Cache Management for Dynamic Web Content - Zhu, Yang \(2000\) \(Correct\) \(6 citations\)](#)  
client domain names, client IP addresses, and **cookie** values. The BNF specification of a URL class is following an application name. And the keyword "**Cookie**:ID identifies **cookie** "ID appearing in a as their net path prefix. Class "cgi- bin/news?topic=sports&country=USA" groups pages which are [www.cs.ucsb.edu/research/swala/cache2001.ps](http://www.cs.ucsb.edu/research/swala/cache2001.ps)

[TRIAD: A New Next-Generation Internet Architecture - Cheriton, Gritter \(2000\) \(Correct\) \(4 citations\)](#)  
identi cation, optionally augmented with web **cookies**"Further, this "network pointer" is realized as a URL and possibly other information, such as **cookies**" to the content layer's directory system. For TRIAD: A New Next-Generation Internet Architecture Computer [www-dsg.stanford.edu/triad/triad.ps.gz](http://www-dsg.stanford.edu/triad/triad.ps.gz)

[Electronic Commerce and Competitive First-Degree Price.. - David Ulph And \(2000\) \(Correct\) \(2 citations\)](#)  
from the user's browser, for example by using **cookies** or agents)learning (the agent monitors and market. Whether or not firms will choose to use this new technology will depend on whether or not the allows the construction a individually tailored **news** web page, while at the same time customising the [www.ecn.bris.ac.uk/www/ecnv/vulkan.pdf](http://www.ecn.bris.ac.uk/www/ecnv/vulkan.pdf)

[Application-Level Differentiated Multimedia Web Services.. - Chandra, Ellis, Vahdat \(2000\) \(Correct\) \(1 citation\)](#)  
as client IP addresses, browser parameters such as **cookies** as well as the client transaction state (e.g. deal with peak loads. For example, when significant **news** stories break, **news** sites such as MSNBC and CNN For example, when significant **news** stories break, **news** sites such as MSNBC and CNN export a lightweight [www.cs.uga.edu/~surendar/papers/jsac.pdf](http://www.cs.uga.edu/~surendar/papers/jsac.pdf)

[Click-once Hypertext: Now You See It, Now You Don't - Fred Douglass At \(Correct\)](#)  
themselves to elision. Our implementation uses **cookies** to record information about which links have about which links have been followed. The **cookies** en- sure that the next time the user retrieves Some of these pages contain transient data such as **news** items that are typically viewed once via that page [www.research.att.com/~misha/otherPubs/smash.ps.gz](http://www.research.att.com/~misha/otherPubs/smash.ps.gz)

[Unknown - Tcp Ip Directory \(Correct\)](#)117 Using **Cookies**

of the client object. This can be client **cookie**, client URL, server IP, server **cookie**, or server [developer.netscape.com/docs/manuals/ssjs/1\\_4/ssjs.pdf](http://developer.netscape.com/docs/manuals/ssjs/1_4/ssjs.pdf)

[MyLibrary, A Personalization Service for Digital Library.. - Mariella Di Giacomo \(Correct\)](#)  
navigation, extract data from a Web page, control **cookies** and many other handy tools. Figure 2. Adding a on digital information services, has provided **new** products and has offered significant commercially Our main reason for the design and development of a **new** online service, even though the market has [www.ercim.org/publication/ws-proceedings/DelNoe02/Giacomo.pdf](http://www.ercim.org/publication/ws-proceedings/DelNoe02/Giacomo.pdf)

[KDD for Personalization - Pkdd Tutorial September \(Correct\)](#)

logs, referrer logs, agent logs, and client-side **cookies** e-commerce and product-oriented user events (including URL stem and query)referrer, agent, **cookie**, etc. User identification and sessionization of the merchandizing chain #introduce a brilliant **new** product in the market The product must bring added [www.afia.polytechnique.fr/CAFE/ECML01/T05.pdf](http://www.afia.polytechnique.fr/CAFE/ECML01/T05.pdf)

[Anonymous and Untraceable Communications - With The Aim \(Correct\)](#)

personal information from users through forms, **cookies**, online registrations, or surveys than never hosts. In addition, Anonymizer Surfing prevents "**cookies**" from being placed on users' hard drives, via or surveys than never before. With the **new** wireless technologies mobility will be available [www.it.kth.se/~aep/publications/licentiate/licentiate-proposal-escuderoa.ps](http://www.it.kth.se/~aep/publications/licentiate/licentiate-proposal-escuderoa.ps)

**Searching for cookies and advertisement.**

Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

6 documents found. **Order: citations weighted by year.**

[SPIRIT: Sequential Pattern Mining with Regular.. - Garofalakis, Rastogi.. \(1999\) \(Correct\) \(7 citations\)](#)  
a specific web page. However, referrers and **cookies** can be used to determine the sequence of  
to better marketing decisions (e.g.strategic **advertisement** placement)As a more concrete example, the  
[www.bell-labs.com/project/serendip/Papers/vldb99-cam.ps.gz](http://www.bell-labs.com/project/serendip/Papers/vldb99-cam.ps.gz)

[Measuring the Accuracy of Sessionizers for Web Usage Analysis - Bettina Berendt Bamshad \(2001\) \(Correct\) \(1 citation\)](#)

devised to overcome these shortcomings, including **cookies**, timeout-based sessionizing mechanisms and  
The most widespread remedy amounts to the usage of **cookies**. A **cookie** is a small piece of code associated  
associations among products, impact of **advertisement** banners, web marketing campaigns and product  
[maya.cs.depaul.edu/~mobasher/papers/wm-siam01.pdf](http://maya.cs.depaul.edu/~mobasher/papers/wm-siam01.pdf)

[Economic Markets as a Means of Open Mobile-Agent Systems - Bredin, Kotz, Rus \(1999\) \(Correct\) \(3 citations\)](#)  
examining an HTML file. Often browsers exchange **cookies** with servers, negotiate security protocols,  
resource contention and site congestion. Price **advertisement** provides a simple means of agent coordination  
[agent.cs.dartmouth.edu/papers/bredin:position.ps.gz](http://agent.cs.dartmouth.edu/papers/bredin:position.ps.gz)

[A Reference Model for Designing a Curriculum for E-commerce.. - Cy Mar Ch \(Correct\)](#)  
the use of customer tracking (e.g.through **cookies**) combined with data mining techniques,  
from subscriptions, and in other cases from **advertisement**)Business policies: at the business  
revenue generating model: sales, subscription, **advertisement**. business policies: return, privacy,  
[www.cs.gmu.edu/~menasce/papers/menasce-ieee-concurrency.pdf](http://www.cs.gmu.edu/~menasce/papers/menasce-ieee-concurrency.pdf)

[Design and Analysis of an Anonymous Communications Channel for.. - Freedman \(2000\) \(Correct\)](#)  
it, and the frequency and times of user accesses. **Cookies** on a client's browser may be used to store  
characteristics are transmitted (i.e.pseudonyms, **Cookies**)an adversary can link past and future  
ground checks with a click of the mouse. An **advertisement** agency or telemarketer can pinpoint exactly  
[theory.lcs.mit.edu/~cis/theses/freedman-bachelors.ps](http://theory.lcs.mit.edu/~cis/theses/freedman-bachelors.ps)

[A Grammatical Approach to User Model Resolution for.. - Manousopoulou.. \(2000\) \(Correct\)](#)  
three dioeerent types of bread and four types of **cookies**, each one of which is also displayed on a  
(that is, most possible to succeed) targeted **advertisement**. 117 Manousopoulou & Papakonstantinou ffl  
[www-sop.inria.fr/oasis/WAGA00/proceedings/Manousopoulou/manousopoulou.ps](http://www-sop.inria.fr/oasis/WAGA00/proceedings/Manousopoulou/manousopoulou.ps)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](http://citeseer.org) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)